



# Mity Mite

Back Pressure Regulator Replacement

REPLACES THE ORIGINAL MITY MITE AS MANUFACTURED BY GROVE

# General Information

## THE EQUILIBAR MITY MITE REPLACEMENT



Equilibrar, LLC now manufactures a direct replacement for select back pressure models of the Mity Mite regulator (formerly made by Grove). The ports remain located in the exact same locations so that the Equilibrar® Mity Mite replacement will directly fit into installations with hard piping. The internal components are identical and the repair parts kit for the Equilibrar model will also retrofit into existing Mity Mite regulators. The part number table will help you to select the appropriate Equilibrar Mity Mite replacement part number.

Equilibrar's Mity Mite direct replacement is a dome-loaded back pressure regulator with a 1:1 ratio. The pressure of the inlet port is maintained approximately equal to the pressure of the pilot port on the top of the regulator. The pilot pressure can be provided by a separate inert gas using a manual or electro-pneumatic regulator. Many Mity Mite users also supply the pilot pressure by capturing process gas from upstream of the Inlet port and controlling the pilot port pressure with block and bleed valves.


## HAVING PROBLEMS WITH YOUR MITY MITE?

Many applications exposed issues with the original Mity Mite design. Equilibrar also manufactures a separate line of back pressure regulators with the following improvements over the Mity Mite:

- No leaking after thermal cycles: The original Mity Mite would leak to the exterior after thermal cycling.
- Higher pressure ratings: The original Mity Mite is limited to 6000 psi MAWP. Equilibrar® back pressure regulators come in models rated up to 10,000psi.
- Higher Temperature capabilities: The original Mity Mite is limited to 200F MAWT. Some Equilibrar® back pressure regulator designs are rated up to 450 C MAWT
- Higher accuracy at lower pressures: The original Mity Mite is not accurate at low pressures. Equilibrar offers regulators as low as 0 to 10 inches of water column full scale.
- Mixed phase flow capabilities: The original Mity Mite was good at regulating pressure of mixed gas and liquid phases. The Equilibrar® back pressure designs offer superior performance with mixed phases.
- More options for materials of construction: The SS316 and PTFE models of the original Mity Mite are good for most applications. However, Equilibrar® back pressure regulators are available in Hastelloy, Titanium, Zirconium, PEEK, Pure PTFE, and custom combinations of materials, offering a more diverse selection for challenging pressure control applications.

# Specifications

PART NUMBER ALIGNMENT	
GROVE PART NUMBER	EQUILIBAR PART NUMBER
90W	Consult Equilibar
SD90W	Consult Equilibar
S90W	Consult Equilibar
91LW	S91LW-EQ <sup>1</sup>
SD91LW	S91LW-EQ
S91LW	S91LW-EQ
91W	S91W-EQ <sup>1</sup>
SD91W	S91W-EQ
S91W	S91W-EQ
91XW	S91XW-EQ <sup>1</sup>
SD91XW	S91XW-EQ
S91XW	S91XW-EQ
91	Consult Equilibar



<sup>1</sup>This model is a suitable replacement assuming that Stainless Steel 316 is a suitable replacement for Aluminum as a wetted material.

## TECHNICAL SPECIFICATIONS / ORDERING INFORMATION

PART NUMBER	BODY AND CAP MATERIAL	DIAPHRAGM MATERIAL	CV	TEMPERATURE RANGE	PRESSURE RANGE
S91LW-EQ	Stainless Steel 316	PTFE	0.44	-65°F to 200°F	25 to 400 psi
S91W-EQ	Stainless Steel 316	PTFE	0.38	-65°F to 200°F	100 to 2000 psi
S91XW-EQ	Stainless Steel 316	PTFE	0.17	-65°F to 200°F	100 to 3000 psi



SPARE DIAPHRAGM PART NUMBERS	
PART NUMBER	FITS MODELS
DI-S91LW	S91LW
DI-S91(X)W	S91W, S91XW

# About Equilibar

Equilibar provides innovative and robust pressure control technology for researchers and engineers worldwide. We are proud to design, manufacture and test our patented back pressure regulators in our factory overlooking the Blue Ridge Mountains near Asheville, NC.

## APPLICATION ENGINEERING – WHAT SETS US APART

Unlike mass-market regulator distributors, we focus on working with you, the scientist or engineer with a complex pressure control scenario.


Our application engineers work collaboratively with clients to identify the optimal model, trim, and diaphragm for each application's unique challenges. No matter where you are on the globe, you can stay in close contact with your engineer by email, telephone, videoconferencing or fax.

After installation, your application engineer will support you with start-up information and fine-tuning as needed.

Equilibar, LLC  
320 Rutledge Rd.  
Fletcher, North Carolina 28732  
United States  
Tel: +1-828-650-6590  
Fax: +1-801-504-4439  
Monday - Friday  
8:00 AM - 5:00 PM EST  
12:00 - 21:00 GMT  
[inquiry@equilibar.com](mailto:inquiry@equilibar.com)



Each application is reviewed by our engineering team to ensure quality performance of our products.



Our engineers offer custom designed solutions for the most difficult pressure control challenges. Feel free to contact us to discuss your situation.



Made in the  
**USA**

Equilibar's quality system is  
**ISO 9001:2015** certified.